



**ANDHRA PRADESH POLLUTION CONTROL BOARD**  
**ZONAL OFFICE::VISAKHAPATNAM.**  
**D.No.39-33-20/4/1, Madhavadhara Vuda Colony,**  
**Visakhapatnam - 530018.**

☎: 0891-2719380

**Order No : 8010-VSP/PCB/ZO-VSP/VSP/CFO/2019**

**Date: 15.06.2019**

**AUTO RENEWAL OF CONSENT ORDER AND AUTHORIZATION**

In response to your application dated: 22.05.2019 for Auto Renewal of Consent Order & Authorization, the Board is hereby extending validity period of Consent Order and Authorization under 25/26 of Water (Prevention and Control of Pollution) Act, 1974 and 21/22 of Air (Prevention and Control of Pollution) Act, 1981 and Authorization under Rule 6 of Hazardous and other Wastes (Management and Transboundary Movement ) Rules, 2016 and Rule 10 of Bio Medical Waste Management Rules, 2016 issued vide order dated: 02.06.2017 valid upto 31.05.2019 for a further period of 5(five) year i.e., upto 31.05.2024.

1. The condition wise compliance report of the CFO, HWA & BMWA Order dated: 20.06.2016 shall be submitted to the Regional Office, Visakhapatnam and Zonal Office, Visakhapatnam regularly on a half yearly basis by 1<sup>st</sup> June and 1<sup>st</sup> December of each calendar year.
2. In case of false certification, non compliance of conditions/directions and deficiency in furnishing the information by the HCF, the Board can withdraw the auto renewed consent and take action under provisions of relevant Acts & Rules.

For A.P. Pollution Control Board

**JOINT CHIEF ENVIRONMENTAL ENGINEER**

To  
The Occupier,  
M/s.Actimus Bio Sciences Pvt. Ltd.,  
D2, D-Block, Autonagar,  
Gajuwaka,  
Visakhapatnam district